



Price List 2010

ECOTILE PRODUCT RANGE, PRICE LIST & COLOUR AVAILABILITY

The world's No. 1 interlocking floor tile

STANDARD STOCK ITEMS	
<p>ECOTILE INTERLOCKING FLOOR TILES EcoTile 500/7 500 x 500 x 7mm tile Interlocking Floor Tile 7 Standard Colours Smooth Textured or Raised Disk Surface 4 tiles = 1m² 7.7 (smooth) to 8.1 (RD) kgs per m²</p> <ul style="list-style-type: none"> • 10 Year Guarantee • Exceptionally tough and durable • Fire Retardant • Good Anti-slip Surface • Environmentally Friendly 	<p>EcoTile 500/7 EcoTile 500/7 is suitable for the vast majority of projects, industry, education, retail etc. Specific attention must be paid to the type and design of forklift, electric or manual pallet truck, If three wheeled electric trucks, ride on electric pallet trucks (especially if with one small single drive wheel), pallet trucks with extended forks or anywhere where heavy concentrated loads are being moved across the floor use the EcoTile 500/10. All Tiles - Extremes of temperature – If the tiles are to be installed in direct sunlight or where they will be exposed to high temperature (e.g. in front of an oven or in a garage environment where the car engine will be left running and the catalytic converter will get very hot), we recommend the surface is degreased and the tiles are glued using a waterproof epoxy or polyurethane adhesive.</p> <p>Colour & Texture:</p> <ul style="list-style-type: none"> • SMOOTH TEXTURED SURFACE: Black (E500/7/101), light grey (E500/7/201), dark grey (E500/7/221), blue (E500/7/501), green (E500/7/401), red (E500/7/701) & yellow (E500/7/601) • RAISED DISK SURFACE: Black (E500/7/100), light grey (E500/7/200), dark grey (E500/7/220). All other colours manufactured to order <p>Special Colours by request – subject to minimum order quantity, lead time and price surcharge on standard cost per m²</p>
<p>THE INTERLOCKING TILE WITH THE HIDDEN JOINT EcoTile 500/6 HJT 500 x 500 x 6mm Hidden Joint Tile 6 Standard Colours Smooth Textured and Raised Disk Surface 4 tiles = 1m² 7.7 (smooth) to 8.1 (RD) kgs per m²</p> <ul style="list-style-type: none"> • 10 Year Guarantee • Exceptionally tough and durable • Fire Retardant • Good Anti-slip Surface • Environmentally Friendly 	<p>EcoTile 500/6 EcoTile 500/6HJT is ideal for retail, education, offices and domestic application (garages and home gyms) as well as light industrial applications and assembly areas. EcoTile 6/500 HJT has been designed to offer three main advantages over the original open joint tiles, these are a smarter appearance, easier to clean and maintain and a watertight joint.</p> <p>Colour & Texture:</p> <ul style="list-style-type: none"> • SMOOTH TEXTURED SURFACE: Light grey (E500/6/201), dark grey (E500/6/221), blue (E500/6/501), green (E500/6/401), stone (E500/6/321) red (E500/6/701) • RAISED DISK SURFACE: Light grey (E500/6/200) and dark grey (E500/6/220). All other colours manufactured to order <p>Special Colours by request – subject to minimum order quantity, lead time and price surcharge on standard cost per m²</p>
<p>EXCEPTIONAL VALUE FOR MONEY - THE 100% RECYCLED ECOTILE - GUARANTEED EcoTile 490/7 490 x 490 x 7mm Interlocking Floor Tile 2 Colours Flat Textured only 4 tiles = 0.96m² 7.98 kgs per m²</p> <ul style="list-style-type: none"> • Exceptionally tough and durable • Fire Retardant • Good Anti-slip Surface • Environmentally Friendly 	<p>EcoTile 490/7 – The tile guaranteed 100% recycled content EcoTile 490/7 is manufactured from the production waste, off cuts from installations and tiles that have been returned to us as part of our recycling and environmental policy (we guarantee to buy back all tiles once they have reached the end of their useful life, it is our objective to ensure that not one single tile ends up in land fill.) With an anticipated life span of 25 years plus and the ability to reprocess the tiles up to 5 times EcoTile has an overall life expectancy in excess of 150 years. The recycling process has a nominal effect on the dimensions of the tiles; they will not interlock with the premium grade tile. The recycling process can also result in minor imperfections / markings in the surface of the tile, the imperfections are closely monitored and are minimal and in most instances a coat of sealer will hide / disguise any blemishes. The price difference between the recycled and premium product reflects the difference in quality.</p> <p>Colour & Texture: STOCK TILES: FLAT TEXTURED SURFACE light grey (E490/7/901), dark grey (E490/7/921)</p> <p>Special Colours by request – subject to minimum order quantity, lead time and price surcharge on standard cost per m²</p>

<p>ESD / ANTI-STATIC FLOOR TILES EcoTile 500/7/ESD 500 x 500 x 6mm tile Hidden Joint Tile 4 tiles = 1m² 1 Colour Smooth Textured</p> <ul style="list-style-type: none"> • 10 Year Guarantee • Exceptionally tough and durable • Fire Retardant • Good Anti-slip Surface • Environmentally Friendly 	<p>EcoTile 500/7 ESD EcoTile 500/7 ESD is manufactured from hard wearing pvc compound that incorporates stainless steel metal fibres that is guaranteed to give esd / anti-static performance for the life of the tile. The electrostatic dissipative (ESD / EPA / anti-static) interlocking floor tiles are ideal for use in electronics and telecommunications factories, computer server rooms, production plants such as pharmaceutical, paint, petrochemical and certain food production facilities with risk of dust explosion (sugar, flour dust etc.)</p> <p>Colour & Texture:</p> <ul style="list-style-type: none"> • Smooth Textured Surface in CHARCOAL GREY (E500/7/ESD)
<p>ESD / ANTI-STATIC FLOOR TILES EcoTile 501/ESD 500 x 500 x 6mm tile Hidden Joint Tile 4 tiles = 1m² 1 Colour Smooth Textured</p> <ul style="list-style-type: none"> • 3 Year Guarantee • Exceptionally tough and durable • Fire Retardant • Good Anti-slip Surface • Environmentally Friendly 	<p>EcoTile 500/7/PP ESD EcoTile 501/7/ESD is manufactured from an environmentally friendly plastic co-polymer that incorporates carbon that is guaranteed to give esd / anti-static performance for the life of the tile. The electrostatic dissipative (ESD / EPA / anti-static) interlocking floor tiles are ideal for use in electronics and telecommunications factories, computer server rooms, production plants such as pharmaceutical, paint, petrochemical and certain food production facilities with risk of dust explosion (sugar, flour dust etc.)</p> <p>Colour & Texture:</p> <ul style="list-style-type: none"> • Smooth Textured Surface in BLACK (E501/7/ESD)
<p>NON-STOCK ITEM</p>	
<p>THE ULTRA HEAVY DUTY TILE EcoTile 500/10 500 x 500 x 10mm Interlocking Floor Tile 89 – 92 Shore A 4 tiles = 1m² 1 Colour – Smooth Textured</p> <ul style="list-style-type: none"> • 20 Year Guarantee • Exceptionally tough and durable • Fire Retardant • Good Anti-slip Surface • Environmentally Friendly 	<p>EcoTile 500/10 - NEW ULTRA HEAVY DUTY 10mm TILE The ultimate version of EcoTile, if the client has any concern about loading, impact, vibration etc. The EcoTile 500/10 XHD 10mm thick tile will put your mind at rest. Excellent performance and durability.</p> <p>Colour & Texture:</p> <ul style="list-style-type: none"> • SMOOTH TEXTURED SURFACE: DARK GREY (E500/10/221) ONLY <p>Special Colours by request – subject to minimum order quantity, lead time and price surcharge on standard cost per m²</p>
<p>NOTES: The dimensions relate to the measurements of the tiles once interlocked, for example 4 interlocked tiles.</p>	
<p>EcoTile Accessories - The Versatile Flooring Company offer a range of accessories.</p> <ul style="list-style-type: none"> • Logo Tiles – Incorporate safety signs or corporate logos in the floor. • Skirting - Skirting can be used to hide the 5mm expansion gap and prevent dust and dirt from building up. We recommend a sit-on skirting that is stuck to the wall and the tiles creating a smart and tidy finish whilst allowing the tiles to expand underneath. Our standard skirting measures 100mm x 19mm and is available in black, light grey and dark grey. • Silicon Mastic - The quickest way to seal the expansion gap around the edge of the floor is to fill it with mastic. This will prevent dust and dirt from building up whilst allowing the tiles room to move. We supply black, grey or translucent mastic. • Adhesive - In certain circumstances it may be necessary to glue the tiles to the substrate, for example a small freestanding area of tiles, tiles that will regularly be exposed to bright sunshine or areas where heavy traffic changes direction sharply. We recommend Uzin MK92S polyurethane adhesive. Preparation: Sub floors must be sound, smooth, clean and free from contaminants, which will prevent adhesion. Concrete must be fully cured with laitance removed. The surface must be visibly dry before the adhesive is applied. Under floor heating must be off for 48 hours before and after application. • Floor Levelling & Repair Compounds – We offer a full range of levelling and repair compounds for levelling out uneven floors through to filling holes and cracks • Cleaning - For an initial degrease and heavy duty clean we recommend Butcher's Blast available in packs of 4 x 5 litres. To seal the floor and provide heavy-duty protection of the tiles we recommend our polyurethane floor polish available in packs of 4 x 5 litres. Coverage is 50m² per litre per coat. For general maintenance and cleaning we recommend EcoTile's non-alkaline cleaner available in packs of 4 x 5 litres. • DuraStripe Line Marking Tape - DuraStripe is a durable and flexible aisle marking tape designed for use in dry, indoor environments at temperatures above 5°C. Manufactured from scuff resistant material suitable for cleaning with soap and water. Available in yellow, red, green, blue, orange and white in 30.5m rolls in widths of 5 or 10cm 	

EcoTile Product Range & Colours

EcoTile Product Range & Colours									
EcoTile 500/7		STOCK COLOURS							
	Smooth Texture	E500/7/221	E500/7/201	E500/7/101	E500/7/501	E500/7/401	E500/7/701	E500/7/601	
	RAL	7015	7001	9004	5022	6028	3000	1023	
	Raised Disk	E500/7/220	E500/7/200	NON STOCK COLOURS AS ABOVE BUT SUBJECT TO SPECIAL ORDER, MINIMUM QUANTITY (Black E500/7/100, Blue E500/7/500, Green E500/7/400, Red E500/7/700, Yellow E500/7/600)					
	RAL	7015	7001						
EcoTile 500/6 HJT		STOCK ITEMS							
	Smooth Texture	E500/6/221	E500/6/201	E500/6/501	E500/6/401	E500/6/701 Terracotta Red	E500/6/321 Stone		
	RAL	7015	7001	5022	6028	8012	1001		
	Raised Disk	E500/6/220	E500/6/200	NON STOCK COLOURS AS ABOVE BUT SUBJECT TO SPECIAL ORDER, MINIMUM QUANTITY (Black E500/6/100, Blue E500/6/500, Green E500/6/400, Red E500/6/700, Yellow E500/6/600)					
	RAL	7015	7001						
EcoTile 490/7 Recycled		STOCK COLOURS							
	Flat Texture	E490/7/921	E490/7/901	NON-STOCK COLOURS AS ABOVE BUT SUBJECT TO SPECIAL ORDER (Black E490/7/101, Blue E490/7/501, Green E490/7/401, Red E490/7/701, Yellow E490/7/601. Cost of special colours in 490/7 subject to fluctuation dependant on availability of recycled material)					
	RAL	7015	7001						
EcoTile ESD		STOCK COLOURS							
	Smooth Texture	E500/7/ESD	E501/7/ESD						
	RAL	7015	9004						
EcoTile 500/10	Smooth Texture	E500/10/221	NON-STOCK COLOURS AS ABOVE BUT SUBJECT TO SPECIAL ORDER and MINIMUM QUANTITY (Light Grey E500/10/221, Black E500/10/101, Blue E500/10/501, Green E500/10/401, Red E500/10/701, Yellow E500/10/601).						
	RAL	7015							
We supply a full range of accessories including ramps and corner sections, skirting and connector profile. Please call for further information									

Price List 2010

Code	Description & Notes	Pack Size & Weight	Price per m ²
ECOTILE INTERLOCKING FLOOR TILES			
STANDARD STOCK ITEMS			
E500/7	<p>EcoTile 500/7 500 x 500 x 7mm Interlocking Floor Tile - 89-92 Shore A</p> <p>Colour & Texture:</p> <ul style="list-style-type: none"> SMOOTH TEXTURED SURFACE: Black (E500/7/101), light grey (E500/7/201), dark grey (E500/7/221), blue (E500/7/501), green (E500/7/401), red (E500/7/701) & yellow (E500/7/601) RAISED DISK SURFACE: Black (E500/7/100), light grey (E500/7/200), dark grey (E500/7/220). All other colours manufactured to order <p>Special Colours by request – subject to minimum order quantity, lead time and price surcharge on standard cost per m²</p>	<p>2.5m² per pack</p> <p>22kgs per pack</p>	£29.50/m ²
E500/6	<p>EcoTile 500/6 500mm x 500mm x 6mm Hidden Joint Tile - 89-92 Shore A</p> <p>Colour & Texture:</p> <ul style="list-style-type: none"> SMOOTH TEXTURED SURFACE: Light grey (E500/6/201), dark grey (E500/6/221), blue (E500/6/501), green (E500/6/401), stone (E500/6/321) red (E500/6/701) and yellow (E500/6/601) RAISED DISK SURFACE: Light grey (E500/6/200) and dark grey (E500/6/220). All other colours manufactured to order <p>Special Colours by request – subject to minimum order quantity, lead time and price surcharge on standard cost per m²</p>	<p>2.5m² per pack</p> <p>17.88 kgs per pack</p>	£27.50/m ²
E490/7	<p>EcoTile 490/7– <i>The tile guaranteed 100% recycled content</i> 490 x 490 x 7mm Interlocking Floor Tile - 89 – 92 Shore A</p> <p>Colour & Texture: FLAT TEXTURED SURFACE light grey (E490/7/901), dark grey (E490/7/921)</p> <p>Special Colours by request – subject to minimum order quantity, lead time and price surcharge on standard cost per m²</p>	<p>2.5m² per pack</p> <p>21.25kgs per pack</p>	£25.00/m ²
E500/7/ESD	<p>EcoTile 500/7/ESD - <i>Esd / Anti-Static Floor Tiles</i> 500 x 500 x 7mm ESD tile</p> <p>Colour & Texture: Smooth Textured Surface in CHARCOAL GREY (E500/7/ESD)</p>	<p>2.5m² per pack</p> <p>19.5kgs per pack</p>	£49.50/m ²
E501/7/ESD	<p>EcoTile 501/7/ESD - <i>Esd / Anti-Static Floor Tiles</i> 500 x 500 x 7mm ESD tile</p> <p>Colour & Texture: Smooth Textured Surface in BLACK (E501/7/ESD)</p>	<p>2.5m² per pack</p> <p>19.5kgs per pack</p>	£39.50/m ²
NON- STOCK ITEM			
E500/10	<p>EcoTile 500/10 500 x 500 x 10mm Interlocking Floor Tile - 89 – 92 Shore A</p> <ul style="list-style-type: none"> SMOOTH TEXTURED SURFACE: DARK GREY (E500/10/221) ONLY <p>Special Colours by request – subject to minimum order quantity, lead time and price surcharge on standard cost per m²</p>	<p>1.25m² per pack</p> <p>15.65kgs per pack</p>	£39.50/m ²

ECOTILE RAMP			
E57	EcoTile 500/7 Ramp Section 500 x 120 x 7mm Interlocking Floor Tile Ramp - 89-92 Shore A Colour & Texture: <ul style="list-style-type: none"> • SMOOTH TEXTURED SURFACE: Black (E57.001), light grey (E57.201), dark grey (E57.221), blue (E57.501), green (E57.401), red (E57.701) & yellow (E57.601) • RAISED DISK SURFACE: Black (E57.100), light grey (E57.200), dark grey (E57.220). All other colours manufactured to order 	Per Ramp	£3.95 each
E49	EcoTile 490/7 Ramp 490 x 120 x 7mm Interlocking Floor Tile - 89 – 92 Shore A Colour & Texture: <ul style="list-style-type: none"> • FLAT TEXTURED SURFACE: light grey (E49.901), dark grey (E49.921) 	Per Ramp	£3.95 each
E59	EcoTile 500/10 Ramp 500 x 120 x 9.5mm Interlocking Floor Tile Ramp 89 – 92 Shore A Colour & Texture: <ul style="list-style-type: none"> • SMOOTH TEXTURED SURFACE: DARK GREY (E59.221) ONLY 	Per Ramp	£5.95 each
ECOTILE CORNER SECTIONS			
EC57	EcoTile 500/7 Corner Section 120 x 120 x 7mm Interlocking Floor Tile Corner - 89-92 Shore A Colour & Texture: <ul style="list-style-type: none"> • SMOOTH TEXTURED SURFACE: Black (EC57.001), light grey (EC57.201), dark grey (EC57.221), blue (EC57.501), green (EC57.401), red (EC57.701) & yellow (EC57.601) • RAISED DISK SURFACE: Black (EC57.100), light grey (EC57.200), dark grey (EC57.220). All other colours manufactured to order 	Per Corner	£5.95 each
EC49	EcoTile 490/7 Corner 120 x 120 x 7mm Interlocking Floor Tile - 89 – 92 Shore A Colour & Texture: <ul style="list-style-type: none"> • FLAT TEXTURED SURFACE: light grey (EC49.901), dark grey (EC49.921) 	Per Ramp	£5.95 each
EC59	EcoTile 500/10 Corner 120 x 120 x 9.5mm Interlocking Floor Tile Corner 89 – 92 Shore A <ul style="list-style-type: none"> • Colour & Texture: SMOOTH TEXTURED SURFACE: DARK GREY (EC59.221) ONLY 	Per Ramp	£5.95 each

Transport Charges 01/11/2009 to 31/10/2010						
For UK Mainland excluding highland of Scotland and all offshore islands						
	Weight	Cost	Courier	Packing	EcoTile / Boxes	EcoTile / m²
1	1 to 25kgs	£20.00	TNT	Carton	1 box	2.5m ²
2	26 to 50 kgs	£25.00	TNT	Carton	2 boxes	Up to 5m ²
3	51 to 75 kgs	£30.00	TNT	Carton	3 boxes	Up to 7.5m ²
4	76 to 100 kgs	£35.00	TNT	Carton	4 boxes	Up to 10m ²
5	101 to 125 kgs	£45.00	Palletways	Pallet	5 or 9 boxes	Up to 12.5m ²
6	151 to 400kgs	£55.00	Palletways	Pallet	10 to 19 boxes	Up to 50m ²
7	401 to 830 kgs (= full pallet)	£65.00	Palletways	Pallet	20 to 40 boxes	Up to 100m ²
8	Repeat as above i.e. 150m ² = 1 full pallet (£66) + 1 half pallet (£55) for up to 400kgs. Total: £121.00					

Notes

- All prices include UK delivery subject minimum order quantity of 100m²
- All prices exclude VAT which will be charged at the prevailing rate at the time of order

DURASTRIPE & ECOTILE ACCESSORIES Price List

DuraStripe Line Marking Tape – per roll		
4000000	DuraStripe - 30.5m x 5cm wide - yellow	£81.50
400002	DuraStripe - 30.5m x 10cm wide - Yellow	£108.33
4000040	DuraStripe Lean - 30.5m x 10cm wide - Black/Yellow	£108.33
4010000	DuraStripe - 30.5m x 5cm wide - Red	£81.50
4010002	DuraStripe - 30.5m x 10cm wide - Red	£108.33
4020000	DuraStripe - 30.5m x 5cm wide - white	£81.50
4020002	DuraStripe - 30.5m x 10cm wide - White	£108.33
4030000	DuraStripe - 30.5m x 5cm wide - Blue	£81.50
4030002	DuraStripe - 30.5m x 10cm wide - Blue	£108.33
4040000	DuraStripe - 30.5m x 5cm wide - Green	£81.50
4040001	DuraStripe - 30.5m x 10cm wide - Green	£108.33
4050000	DuraStripe - 30.5m x 5cm wide - orange	£81.50
405001	DuraStripe - 30.5m x 10cm wide - Orange	£108.33
7000095.000	DuraStripe - Applicator	£965.00
Logo / Pictotiles		
13.000	Special Customer Logo Tile - 2 colours / 1 tile	£75.00
13.001	Special Customer Logo Tile - 2 colours / 2 tile	£85.00
13.232	ESD Protected Area Pictotile - Black/Yellow- per tile	£65.00
13.631	Danger Pictotile - Yellow/Black - per tile	£65.00
13.641	Fork Lift Truck Hazard Pictotile - Yellow/Black - per tile	£65.00
13.661	Electrical Hazard Pictotile - Yellow/Black - per tile	£65.00
13.711	No Smoking Pictotile - White/Red/Black - per tile	£65.00
ESD Accessories		
16.100	Conductive Grounding Tape - 152m roll	£57.50
16.101	Grounding Cord with 1-meg-ohm resistor	£6.25
16.102	Earth Bonding Plug to fit standard UK 3 pin socket	£9.95
16.234	ESD Grounding Kit	£82.50
16.235	Inspection and calibration of ESD Floor	£225.00
Sit on Skirting, Cable Duct / Connector Profile & Diminishing Strips / Ramps		
40.400	Double Sided tape for skirting - 50mm x 50m	£19.50
40.700	Sit-On Skirting - Black - 100mm x 19mm x 2m (per length)	£4.00
40.701	Sit-On Skirting - Dark Grey - 100mm x 19mm x 2m (per length)	£4.00
40.702	Sit-On Skirting - Grey - 100mm x 19mm x 2m (per length)	£4.00
PCR6 BLK	Diminishing Strip / Ramp Section for 6mm tiles – Black (per 2m section)	£7.00
PCR6 Dove	Diminishing Strip / Ramp Section for 6mm tiles – Light Grey (per 2m section)	£7.00
PCR6 D-Grey	Diminishing Strip / Ramp Section for 6mm tiles – Dark Grey (per 2m section)	£7.00
TD45/TDB45	Transition strip for connecting tile-to-tile, tile to carpet etc. Also acts as a cable duct (per m)	£11.99
AFT15/TT37	Clip top floor trim for connecting tile to carpet / tile to tile etc (per m)	£12.99

Floor Repair Compounds, Installation & Cleaning Materials		
41.300	C141 Cleaner/ Degreaser (per 250ml)	£3.71
42.100	Ardurapid 45 Rapid set repair compound (11kg Bag)	£17.50
45.000	Floor Mate (400ml bottle with atomiser)	£9.75
45.100	Avmor Extra Heavy Duty Degreaser (4 x 4 litre cartons)	£61.00
45.200	Avmor Rotex Floor Cleaner (4 x 4 litre cartons)	£59.50
45.400	Avmor Distance Floor Finish (4 x 4 litre cartons)	£119.50
45.500	Selstat Anti-Static Floor Polish (4 x 5 litre cartons)	£149.50
45.600	EcoTile Biomop Cleaning System with 5 microfibre mops	£89.50
45.700	Avmor Viper Heavy-Duty Floor Stripper (4 x 4 litre cartons)	£124.00

45.800	Dr Shutz - Clean & Strip - 5 Litres	£17.45
45.900	Dr Schutz - Anti-Colour Sealer - 2 Litres	£72.55
701B	20 Replacement Blade for shear"	£59.50
701HIRE	Hire charge for Power Shear (per day excl. transport)	£35.00
MK925	MK92S Adhesive - 10 litres	£48.46
NC350	NC350 Exterior Repair Compound - 25 kgs	£25.83
PE360	PE360 Primer for absorbent & non-absorbent surfaces - 10kgs	£47.27
RG194	RG194 Degreaser - 5 litres	£25.10

- All prices exclude VAT which will be charged at the prevailing rate at the time of order