

The UK's premier flooring solutions company

eccotile



Industrial Duty Interlocking Floor Tiles

The world's No.1
interlocking floor tile



ecotile

Key Benefits

Introduction

The Versatile Flooring Company is the UK's premier industrial flooring solutions company and we have established an unrivalled reputation for product quality, flooring expertise and uncompromising customer service. A world leader in the manufacture, supply and installation of EcoTile loose laid interlocking floor tiles; we have invested heavily in the design and development of EcoTile to create a range of tough, low maintenance, environmentally friendly and extremely durable industrial flooring ideal for factories and warehouses.



Manufacture, Installation & Responsible Environmental Practise

EcoTile is injection-moulded using compound that has excellent wear characteristics and long term stability. Manufactured using either virgin or recycled plastics sourced from regulated recycling facilities, EcoTile has an anticipated life span in excess of 20 years. All our tiles are 100% recyclable and we operate a free collection and recycling scheme.

EcoTile has been designed to be loose laid and can withstand very heavy loads; the tiles are exceptionally hard wearing and suitable for use with fork trucks, pallet trucks and heavy goods vehicles. Heavy equipment can be placed on top of the tiles which have excellent resistance to almost all commonly used cutting oils, lubricants and chemicals. EcoTile has been in use for over twenty five years within many of Europe's leading manufacturing facilities and engineering plants. With over 50 million square feet of EcoTile already installed and in daily use we have unrivalled experience and the knowledge to help you select exactly the right flooring product for your application.

The Ecotile range includes a specialist ESD tile. Please contact us for further details.

- *Exceptional durability*
- *Quick and simple to install*
- *Versatile and flexible*
- *Environmentally friendly*
- *Very low through life cost*
- *The world's No.1 interlocking floor tile*



The ecotile advantage

The world's No. 1 interlocking floor tile

Simple Installation

Minimal disruption to site, just overlap and tap ... no adhesive required.

Smart Modern Appearance

Precision engineered interlocking joint and a variety of colours and surface textures

Flexible

Place directly over existing and uneven floors... hides cracks, damage & stains

Easy to Maintain

Simple to keep clean and maintain

Exceptional Tough

Superior durability for high traffic areas

Safe

Excellent slip-resistance, low risk of slipping even when wet (R10)

Chemically Resistant

Resists most automotive, aviation and other fluids

Reduces Dust

Keeps equipment, vehicles and work areas cleaner

Warm & Quiet

Insulates the subfloor from cold and damp and significantly reduces noise

Fire Retardant

Tested to EN ISO 13501-1
Class Bfl s1 & BS 476: Part 7 Class 1

Cost Effective

No adhesive or screed equals lower installation cost

Better Performance

Longer lasting and easier to maintain than paint, resin or vinyl.

Lower Life Cycle Cost

Does not require expensive repair and replacement

Easy to Move and Re-Use


Ideal for temporary applications or where access is required to the subfloor

Environmentally Friendly

100% recyclable & zero VOC emissions



Versatile

Wide range of colours and safety symbols make it simple to demarcate work areas and hazards.



Typical Applications

- Factories
- Warehouses
- Machine Shops
- Tool Rooms
- Assembly Lines
- Quality Control & Calibration Rooms
- Clean Rooms
- Print Rooms
- Garages



ecotile

Description

EcoTile interlocking floor tiles are a tough, flexible and modern industrial flooring solution. Manufactured from hard wearing, oil and chemical resistant PVC, the tiles can be laid quickly and with minimal disruption over any hard surface including oily, damaged or uneven surfaces. EcoTile has proven its suitability for use within many of Europe's leading manufacturing and engineering companies for over twenty years.



Key Benefits

- *Smart and modern appearance*
- *Extremely hard wearing*
- *Quick and simple to install*
- *Good anti-slip properties*
- *Protects your existing floor from damage*
- *Environmentally friendly, 100% recyclable*
- *Easy to clean and maintain*
- *Ideal for use with fork trucks and heavy loads*
- *ESD / Anti-static version available*
- *Flexible, add or remove tiles to suit*
- *Ideal for contaminated and uneven substrates*
- *Good chemical resistance*



Applications

The EcoTile range consists of 5mm, 7mm and 10mm thick interlocking tiles that are available in various levels of hardness as well as in an ESD/anti-static version. The tiles are manufactured in 8 standard colours and 4 surface textures. The tiles have good anti-slip characteristics, are low maintenance and are supplied with a full range of accessories including ramps, skirting, floor signs and marking tapes



- Production lines
- Warehouses
- Workshops
- Assembly lines
- Loading bays
- Aircraft hangers
- Showrooms
- Rest areas
- Clean rooms
- ESD areas

Life Cycle Cost & Environmental Impact

EcoTile can usually be installed without the need for any sub-floor preparation and no adhesives are required saving on materials, labour and harmful VOC emissions. EcoTile has an anticipated life span in excess of 25 years. When the floor has reached the end of its usable life, EcoTile can be quickly and simply lifted and, because there is no contamination from adhesive or screed, the tiles can be **100% recycled**.

Certification

Manufactured in accordance with ISO9001:2000 & ISO14001:2004. BRE **Environmental Profiles Certification** scheme pending




Product & Technical Data

FORMAT	DIMENSIONS	THICKNESS	WEIGHT/M ²
Tile	450 x 450mm or 500 x 500mm	5, 6, 7 or 10mm	7.2 to 12.5kgs
COLOURS	SURFACE FINISH	PACK SIZE	COVERAGE PER PACK
See Below	Smooth, flat textured, embossed or raised disk	10 tiles	2.025m ² or 2.4m ²
FIRE CLASSIFICATION	SLIP RESISTANCE CLASSIFICATION	WEAR/ABRASION RESISTANCE	DURABILITY / ANTICIPATED LIFE SPAN
BS 476:7 Class 1	BS 6677:1 >or = 35L /R10	Excellent	25 + years


Colour and Surface Textures




Hidden Joint
Smooth Textured




Embossed




Hidden Joint
Raised Disk



Flat Textured



Raised Disk



Embossed

Grey	Green
Anthracite	Blue
Black	Red
Yellow	Stone

	TEXTURES	COLOURS
6HJT	Smooth or Raised Disk	light grey, dark grey, dark blue, stone terracotta red
7STR	Flat Textured or Raised Disk	black, light grey, dark grey, blue, green, red, stone & yellow
7XHD	Flat Textured	black, light grey & dark grey
7AFT	Raised Disk	black & light grey
10XHD	Embossed or Raised Disk	black, light grey & dark grey
6ESD	Smooth	light grey only
7ESD	Flat Textured	light grey only
5ESD	Embossed	light grey only
5STX	Embossed	black, light grey, dark grey, blue, green, red, stone & yellow

The UK's premier flooring solutions company



Ecotile is manufactured from up to 100% re-cycled material.
EcoTile® and Suregrip® are registered trade marks of The Versatile Flooring Company

Copyrights © 2007 The Versatile Flooring Company Ltd., All rights reserved.



The Versatile Flooring Company
1 Devonshire Business Centre,
Cranborne Industrial Estate,
Potters Bar, Hertfordshire EN6 3JR
T: 0844 335 0460 F 0844 335 0461
info@versatileflooring.co.uk
www.versatileflooring.co.uk

Proudly manufactured in the UK

ecotile