

EcoTile Floor Cleaning & Sealing Recommendations and Product Range



Demo Kit / Test Kit

1. EcoTile Cleaning & Floor Care Kit

EcoTile Flooring Ltd, in partnership with Dr Schutz, have created a comprehensive and professional floor cleaning and maintenance introduction pack of heavy duty cleaner, sealer and day to day cleaner to help you ensure you get the best out of your new EcoTile Floor.

Each kit comprises of:

- 1 x 750ml bottle of Clean & Strip Heavy Duty Floor Cleaner
- 1 x 750ml bottle of Matt Floor Sealer
- 1 x 750ml bottle of R1000 Floor Cleaner for day to day cleaning
- 1 x Padmaster blue for use with Cleaning Pad and Microfibre Pad White
- 1 x Heavy Duty Green Cleaning Pad for use with the Clean & Strip Heavy Duty Cleaner
- 1 x Furniture Glider Pads.



NB. Please refer to <https://www.dr-schutz.com/> for detailed instructions and the up to date product and safety data sheets

- Part No: 45.999
- Price: £29.50 + VAT

Cleaning, Degreasing & Stripping

2. General Purpose / Day to Day Cleaner

a. **Floor Cleaner R 1000** | For day-to-day cleaning and care of all resilient floors. Also recommended for the initial care of rubber floors. Slip-resistant, anti-static and repels dirt. Fulfils the BS EN / DIN 18032 requirements for sports floors. Suitable for use with cleaning machines & Hand Mopping

- Size: 5 Litres
- Coverage per unit: 5000m²
- Part No: 00170005 -90
- Price: £21.50



3. Heavy Duty Cleaning, Degreasing & Stripper

a. **Clean and Strip** | Gentle strip-cleaner with strong solvent properties and low alkalinity for the removal of sealers, mopped care- products, care films, as well as glue residues and building dirt for post-construction cleaning of factory-applied PU finishes. Universal strip-cleaner for all resilient floors.

- Size: 5 Litres
- Coverage per unit:
 - When used as a stripper – Do not dilute – Coverage 5l: 50 m²
 - Extra Heavy Duty Cleaning. / Degreasing - 1:5 diluted – Coverage 5l: Up to 250 m²
 - Heavy Duty Cleaning - 1:10 diluted – Coverage 5l: Up to 500 m
- Part No: 06170005-90
- Price: £29.50



Sealers & Floor Finishes

4. General Purpose Floor Sealer

- a. **Floor Mat** | Matt polymer dispersion for the initial care of newly laid, or strip-cleaned floors, and for the refreshing of PU coated floors. Free of metal. Protects the floor with an elastic, slip-resistant, matt care-film. Dirt adhesion is reduced and day to day cleaning is made easier. Fulfills the requirements of German norm DIN 18032 (sliding behaviour) for sports floors.
- **Size: 5 litres**
 - **Coverage per unit:** 100m² per coat / 50m² with two coats (recommended)
 - **Part No:** 26170005-90
 - **Price: £49.50**



5. Semi-Permanent Sealer – Available in Matt or Satin Finish

- a. **PU NEO Floor Sealer / Polish** - 2-component polyurethane sealer on the basis of carbodiimide cross-linking for the long-term protection of floors. Low emissions, because solvent-free. Hard-wearing sealing film, excellent elasticity and good resistance against colourless chemicals. Easy application with good adhesion. Can be applied optionally in single-coat system (1x100ml/sq.m) or in 2-coat system (2x50ml/sq.m). Reduces dirt adhesion and care time. High solids content. No intrinsic yellowing. Slip-resistance class R9.
- **Size: 5 litres**
 - **Coverage per unit:** 110m² with one coat / 55m² with two coats
 - **Part No:** Matt Finish: 50320005-90 / Satin Finish: 50310005-90
 - **Price: £195.00**



6. Stain Prevention Sealer / Anti-Colour Sealer – Available in Matt or Satin Finish

- a. **Anti-colour** | Water-based 2 part-polymer-sealer with especially high cross-linking density and therefore high resistance to staining from tyres, plasticizers and chemicals. Only for professional use. Reduces dirt adhesion and the time needed for day-to-day maintenance. Hard-wearing sealer-film, excellent elasticity. Easy and safe to apply with excellent adhesion. Slip-resistant category R9.
- **Size: 6 Litres**
 - **Coverage per unit:** Minimum Required – Two Coats - 60m² per unit
 - **Part No:** Matt Finish: 41720006-90 / Satin Finish: 41700006-90
 - **Price: £175.00**



7. Protection & Hygienic Sealing - For Applications within the Food, Drink & Healthcare Sector

- a. **Medica Hard Sealer** | Special, metal cross-linked polymer dispersion for the initial care of strip-cleaned floors in the area of food & beverage, medical, pharmaceutical and health care. With increased resistance against disinfectants and compounds containing alcohol. Dirt adhesion is reduced and day to day cleaning is made easier
- **Size: 5 Litres**
 - **Coverage per unit:** Minimum Required – Two Coats - 50m² per unit
 - **Part No:** 29500005-90
 - **Price: £69.50**



8. Specialised Floor Sealer for High Traffic Public Buildings & Sports Floors

- a. Secura Hard Sealer | Metal cross-linked polymer dispersion for the initial care of strip-cleaned floors in public buildings. Protects the floor. Reduces dirt adhesion. Makes day to day cleaning easier. The step safety of the floor is still retained. Suitable for care-film renovation in a high-speed process. Results in a slip-resistant, satin-matt care-film with good resistance to heel-marks. Fulfills the requirements of German norm DIN 18032 for sports floors.

- **Size: 5 Litres**
- **Coverage per unit:** Minimum Required – Two Coats - 50m² per unit
- **Part No:** 26500005-90
- **Price: £75.00**



9. Quick Fix Anti-Slip Sealer – One Coat Anti-Slip Solution – Two Hour Cure Time

- a. **Quick Fix Anti-slip Sealer** - A quick drying and cost effective solution to ensure your floor stays safe to comply with HSE slip requirements to quickly reduce the chance of slip injury. A strong PTV of 36+ for wet and dry floors according to **BS 7976**. Easy to apply, water-based lacquer with good adherence and effective results.

- **Size: 5 Litres**
- **Coverage per unit:** 100m² per unit
- **Part No:** 7000012801-90
- **Price: £75.00**



10. PU Colour Coat – Ideal for Creating Line Marking, Walkways & Floor Demarcation

- a. **PU Colour Coat Sealer** - Coloured 2part polyurethane sealer, water based. Only for professional users. Hardwearing sealer film, excellent elasticity and good resistance against colourless chemicals. For the coloured design of EcoTile in need of line markings, coloured demarcated walkways or floor demarcations. Use before their final coating with Dr. Schutz PU Sealer or Dr. Schutz PU Anticolor

- **Size: 5 Litres**
- **Coverage per unit:** 60m² per unit / per coat
- **Part No:** Manufactured to order
- **Price: £155.00**
-



11. Colour Flakes Decorative Additive– Create a decorative patterned floor

- a. **Colour Flakes** - Colored chips for scattering when creating floors in combination with PU Color/PU Sealer. 8 standard colors available, 169 special colors on request, plain or mixed.

- **Size: N/A**
- **Coverage per unit:** N/A
- **Part No:** Manufactured to order
- **Price: On Application**



ESD, Static Dissipative & Anti-static

Floor Cleaner & Floor Sealer

IMPORTANT NOTE: This section is broken down into three sections:

- a. **Maintaining and sealing of EcoTile ESD Floor tiles (E500/7/ESD)**
 - i. Clean the floor using Dr Schutz ESD Floor Cleaner or similar approved ESD floor cleaner – Do not use generic non-ESD floor cleaners (Item 9.).
 - ii. If required and / or for refurbishing EcoTile ESD Flooring apply one to two coats of Dr Schutz ESD Top Coat (Item 10b. – Note that no base coat is required)
- b. **Creating an anti-static working surface for EcoTile 500/7 & E500/10**
 - i. To eliminate static use Dr Schutz ESD Floor Cleaner (Item 9.) as your routine floor cleaner.
 - ii. In the event that your floor is not cleaned on a regular basis and / or a longer term anti-static solution is required:
 - i. Strip and degrease the floor with Dr Schutz Clean & Strip
 - ii. Rinse the floor with clean water
 - iii. Apply one or two coats of Dr Schutz Dr Schutz ESD Top Coat (Item 10b. – Note that no base coat is required)
- c. **Creating a Static Dissipative (NOT ESD) surface with the Standard EcoTile Flooring**
 - i. Strip and degrease the floor with Dr Schutz Clean & Strip
 - ii. Rinse the floor with clean water
 - iii. Apply one Dr Schutz ESD Base Coat (Item 10a.)
 - iv. Apply one Dr Schutz ESD Top Coat (Item 10b.)

12.ESD Floor Cleaner / Cleaner to Help Reduce Static Shocks

- a. **ESD Floor Cleaner** | Cleaning concentrate for the day to day and post-construction cleaning of conductive floors, also general purpose cleaner to help in the reduction of static shocks. Excellent binding of dirt, including residues containing grease. Does not leach out the surface, does not form a grey haze. Streak-free cleaning.

- **Size: 10 litres**
- **Coverage per unit:** 10,000m²
- **Part No:** 50910010-0
- **Price: £55.00**



13.Specialised ESD Floor Sealer / Finish

- a. **ESD Base Coat satin-matt** |

Special conductive water based 2-component polyurethane sealer. With high horizontal and vertical conductivity for the renovation of conductive floors before the final finish with Dr. Schutz ESD Top Coat. Fulfils the requirements of EN 61340-5-1, ANSI/ESD S.20.20 (IEC 61340-4-1,4-5, ANSI S7.1, ESD STM97.1), TRBS 2153. Durable sealer film, excellent elasticity and good resistance against colourless chemicals.

Please note: Only for professional use and for trained staff.

- **Size: 5 Litres + 500ml**
- **Coverage per unit:** Only one coat required - 110m² per unit
- **Part No:** 25088005-90
- **Price: £325.00**



b. ESD Top Coat satin-matt

WHEN APPLIED OVER ECOTILE ESD FLOOR TILES NO BASE COAT IS REQUIRED

Special conductive water based 2-component polyurethane sealer for the long-term protection of floors. Fulfils the requirements of EN 61340-5-1, ANSI/ESD S20.20 (IEC 61340-4-1,4-5, ANSI S7.1, ESD STM97.1), TRBS 2153 when applied as the final finish over Dr. Schutz ESD Base Coat, or over Dr. Schutz ESD Colour Base in a single-coat application on subsurface with good conductivity without previous priming. Reduces dirt adhesion and care time. Durable sealer film, excellent elasticity and good resistance against colourless chemicals.



Please note: Only for professional use and for trained staff

- **Size: 5 Litres + 500ml**
- **Coverage per unit:** Only one coat required over base coat - 110m² per unit
- **Part No:** 50890005-90
- **Price: £325.00**

Anti-Slip & Scratch Resistant Additives



R10 Antislip Additive | Structuring additive for increasing slip resistant safety. For Dr. Schutz 2-component water-based lacquers and for eukula strato lacquers in a top-coat. Fluid compound for simplified application. Effective results. Slip resistance class R10 in accordance with BGR 181 and DIN 51130. VOC free.

- **Size: 500ml**
- **Coverage per unit:** 55m² in **top** coat of PU sealer
- **Part No:** 40020500
- **Price: £29.50**



R11 Antislip Additive | Ceramic based structuring additive of coarser grain for Dr. Schutz 2-component lacquers and for eukula strato lacquers. Due to the resulting surface structure the slip resistance of the floor is substantially increased. Due to the round form of the grain, soiling is reduced despite increased structure. Slip resistance class C for wet-barefoot areas according to DIN 51097. Slip resistance class R11 in application with Dr. Schutz and eukula-2-component lacquers (see list on the product page Antislip Additive under www.dr-schutz.com). Only for professional use. VOC free.

- **Size: 500ml**
- **Coverage per unit:** 55m² in **base** coat of PU sealer
- **Part No:** 4000440
- **Price: £29.50**



Duro Plus L Scratch Resistant Additive | Fluid additive for renewed increase in scratch resistance and matting finish. For all Dr. Schutz 2-component lacquers and for eukula strato lacquers. Easy to work in, effective results. VOC free.


- **Size: 500ml**
- **Coverage:** Add 1 unit to 5 litre unit of any of the two component sealers to enhance scratch resistance. Coverage same as that quoted for the sealer.
- **Part No:** 43010001
- **Price: £29.50**

Cleaning Equipment



SprayMop Set | Contents: cleaning appliance with mop and one 1 bottle of Spraymax for filling up the tank. Ideal cleaning appliance for the daily cleaning of EcoTile Interlocking Floor Tiles. By simply operating the spray-lever, this results in mopping the floor by slight moistening. In this way moisture-sensitive floors can also be easily and simply cleaned. Also suitable for cleaning following installation. Please note: use our product Spraymax exclusively to avoid damage to the SprayMop and the floor.

- **Part No:** 43010001
- **Price:** £49.50



Pad Master System | A: Universal handle: Universal handle for Pad Master System. B: Pad Master: Holder for Pad green and Pad white. C: Pad green: For easy removal of wax and other coatings on smaller areas, as well as in corners and edges. D: Pad white: Non-scratch pad for the easy removal of stubborn stains, heel marks, the remains of glue and adhesive, and much more. F: Pad Red: For Day to day cleaning

- **Part No:** See Below
- **Price:** See Below

	ART. NO.	GB	Price
A: Universal aluminium handle 140cm	80009244 -	00	£19.99
B: Pad Master holder	80009305 -	00	£39.99
C: Pad green	80009306 -	00	£5.99
D: Pad white	80009307 -	00	£5.99
E. Pad Red	80009308 -	00	£5.99

Professional Mop System | Professional system for initial cleaning and care, as well as upkeep cleaning of hard floors. A: Universal handle + B: Holder C: Cotton mop: For the simple application of polishes and hard sealers and for the economical upkeep cleaning of floors which were initially protected by polishes or hard sealers. D: Micro-fibre mop: For the optimal upkeep cleaning of PU coated floor coverings.



	ART. NO.	Price
A:	Universal Handle - 80009244	£9.99
B:	Mop Pad Holder - 80009245	£35.00
C:	Sealer Applicator Mop Head - 80009247	£16.50
D:	Cleaning Mop Head - 80009246	£16.50




Premium Twin-bucket-roller | The double mobile bucket is ideal for classic mopping work in day-to-day cleaning. The position of the universal press in the middle means that both buckets can be reached conveniently. By using a click-system the press is connected to the chassis. Thanks to a comfortable handle, stairs and landings can be easily and quickly surmounted. The robust universal press enables optimal dosage of moisture in the mop- cover used. The corrosion-free material of the trolley guarantees a very long working life. Using a rack for a foldable bracket and a swivelling 5 litre bucket, the double mobile bucket is extended for cleaning the surface

- **Part No:** 80009253
- **Price:** £175.00

Sealer Application Equipment

See Professional Mop System above or use

GB



Wide Roller | A: Super PU Roller 50/25 cm: Specially developed for the application of Super PU Sealer (approx. 100g/ m²) on larger surfaces. B: Lacquer roller Aquatop 50/25 cm: For the optimal and fast application of PU Sealer range on large areas. C: Lattice frame 50/25 cm: Special frame for Aquatop and Super PU rollers. With Click soft handle. Perfect for use with the Click telescopic pole.

50 CM

25 CM




	ART. NO.	Price		ART. NO.	Price
A:	80009250-00	£19.99	A:	80009228-00	£11.99
B:	80009222-00	£19.99	B:	81009222-00	£11.99
C:	80009220 -00	£19.50	C:	81009220-00	£12.95



Colour Fleck Applicator | Universal scatterer for dispersing chips in combination with PU Color. Push-button operation. Scatter-width adjustable between 0.5m and 2.5m. Battery operated (battery not included).

- **Part No:** 80005050
- **Price:** £65.00

THE RIGHT PROFESSIONAL CARE OF YOUR ECOTILE FLOORING AT A GLANCE

STEP / AREA	 DAILY MAINTENANCE & CLEANING	 SEALING, COATING & PROTECTING	 DEGREASING, HEAVY DUTY CLEANING & STRIPPING
FACTORIES & WAREHOUSES	FLOOR CLEANER R1000	FLOOR MATT OR PU NEO SEALER	CLEAN & STRIP
HEALTH CARE / FOOD & BEVERAGE SECTOR	FLOOR CLEANER R1000	MEDICA HARD SEALER	CLEAN & STRIP
OFFICES, PUBLIC BUILDING, RETAIL & SPORTS FLOORING	FLOOR CLEANER R1000	SECURA HARD SEALER	CLEAN & STRIP
GARAGES / MOTOR WORKSHOPS / CAR SHOWROOM	FLOOR CLEANER R1000	PU ANTI-COLOUR SEALER	CLEAN & STRIP
ESD FLOORING (and to help reduce static shocks – Cleaner only)	ESD FLOOR CLEANER	ESD FLOOR SEALER	PLEASE CONSULT ECOTILE

Recommendation for best results

Cleaning Pad Recommendations EcoTile Floor Tiles

Strip-cleaning / Heavy Duty Cleaning	Superpad Green
Strip-cleaning of the thick and hardest coatings of sealer products	Superpad Green
Day-to-day Cleaning	Superpad Red
Cleaning by Machine	Superpad Red
Spray-Cleaning	Superpad Red
Polishing	Superpad White

For further information please call (+44) 01582 788232 or visit www.ecotileflooring.com or for the latest technical and safety data sheets visit www.dr-schutz.com